



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
								a	b	c	d	
				Trace Metals	mg/kg							mg/kg
SOLIDS		1000	7429-90-5	Aluminum	2500	to	25000	Study Mean		0.1307	293.1966	250
SOLIDS		1005	7440-36-0	Antimony	80	to	300	Study Mean		0.4385	8.1700	8.0
SOLIDS		1010	7440-38-2	Arsenic	40	to	400	Study Mean ± 30%				4.0
SOLIDS		1015	7440-39-3	Barium	100	to	1000	Study Mean ± 25%				10
SOLIDS		1020	7440-41-7	Beryllium	40	to	400	Study Mean ± 25%				4.0
SOLIDS		1025	7440-42-8	Boron	80	to	800	Study Mean ± 40%				48
SOLIDS		1030	7440-43-9	Cadmium	40	to	400	Study Mean ± 25%				4.0
SOLIDS		1035	7440-70-2	Calcium	1500	to	25000	Study Mean		0.0730	87.3802	150
SOLIDS		1040	7440-47-3	Chromium	40	to	400	Study Mean ± 30%				4.0
SOLIDS		1045	18540-29-9	Chromium (VI)	40	to	300	Study Mean		0.1547	8.5460	4.0
SOLIDS		1050	7440-48-4	Cobalt	40	to	400	Study Mean ± 25%				4.0
SOLIDS		1055	7440-50-8	Copper	40	to	400	Study Mean ± 25%				4.0
SOLIDS		1070	7439-89-6	Iron	5000	to	50000	Study Mean		0.1102	1500.6038	500
SOLIDS		1075	7439-92-1	Lead	40	to	400	Study Mean		0.0791	1.9272	4.0
SOLIDS		1085	7439-95-4	Magnesium	1200	to	25000	Study Mean		0.0685	134.2111	120
SOLIDS		1090	7439-96-5	Manganese	100	to	2000	Study Mean		0.0639	6.3268	10
SOLIDS		1095	7439-97-6	Mercury	1	to	35	Study Mean ± 40%				0.10
SOLIDS		1100	7439-98-7	Molybdenum	30	to	300	Study Mean		0.0910	0.8106	3.0
SOLIDS		1105	7440-02-0	Nickel	40	to	500	Study Mean ± 30%				4.0
SOLIDS		1125	7440-09-7	Potassium	1400	to	25000	Study Mean		0.0878	98.8140	140
SOLIDS		1140	7782-49-2	Selenium	40	to	400	Study Mean		0.0935	2.2902	4.0
SOLIDS		1150	7440-22-4	Silver	20	to	100	Study Mean		0.0910	0.4587	2.0
SOLIDS		1155	7440-23-5	Sodium	150	to	15000	Study Mean		0.1043	15.0068	15
SOLIDS		1160	7440-24-6	Strontium	40	to	400	Study Mean		0.0846	0.9208	4.0
SOLIDS		1165	7440-28-0	Thallium	40	to	400	Study Mean		0.0785	3.0637	4.0
SOLIDS		1175	7440-31-5	Tin	50	to	250	Study Mean		0.1134	3.0560	5.0
SOLIDS		1185	7440-62-2	Vanadium	40	to	400	Study Mean		0.0618	4.6801	4.0
SOLIDS		1190	7440-66-6	Zinc	100	to	1000	Study Mean ± 30%				10



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA	TNI	Analyte ^{1,2}		Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
	Analyte Code	Analyte Code						CAS Number	a	b	c	
Minerals					mg/kg							mg/kg
SOLIDS		1540	24959-67-9	Bromide	10	to	100	Study Mean	0.0848	0.3989	1.0	
SOLIDS		1575	16887-00-6	Chloride	200	to	1000	Study Mean	0.0892	5.3941	20	
SOLIDS		1730	16984-48-8	Fluoride	25	to	500	Study Mean	0.1781	2.0366	2.5	
SOLIDS		1810	NA	Nitrate as N	25	to	500	Study Mean	0.0676	2.4605	2.5	
SOLIDS		2000	14808-79-8	Sulfate	25	to	2000	Study Mean	0.1354	5.1265	2.5	
Nutrients					mg/kg							mg/kg
SOLIDS		1515	NA	Ammonia as N	300	to	3000	Study Mean	0.0931	39.0256	30	
SOLIDS		1795	NA	Total Kjeldahl-Nitrogen (TKN)	400	to	4000	Study Mean	0.1361	21.2081	40	
SOLIDS		1910	NA	Total Phosphorus	300	to	3000	Study Mean	0.2208	29.9538	30	
Misc Analytes					mg/kg							mg/kg
SOLIDS		1625	NA	Corrosivity (pH)	2	to	12 units	± 0.6 units fixed acceptance limit				not applicable
SOLIDS		1645	NA	Total Cyanide	20	to	200	Study Mean	0.1701	2.0819	2.0	
SOLVENT		1780	NA	Ignitability	100	to	200 °F	± 17 °F fixed acceptance limit				not applicable



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
								a	b	c	d	
Volatile Aromatics ¹					µg/kg							µg/kg
SOLIDS		4375	71-43-2	Benzene	20	to	200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		4475	108-90-7	Chlorobenzene	20	to	200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4610	95-50-1	1,2-Dichlorobenzene (o-Dichlorobenzene)	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4615	541-73-1	1,3-Dichlorobenzene (m-Dichlorobenzene)	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4620	106-46-7	1,4-Dichlorobenzene (p-Dichlorobenzene)	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4765	100-41-4	Ethylbenzene	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		5005	91-20-3	Naphthalene	40	to	200	Assigned Value ±50% fixed acceptance limit				20
SOLIDS		5100	100-42-5	Styrene	40	to	200	Assigned Value ±35% fixed acceptance limit				26
SOLIDS		5140	108-88-3	Toluene	20	to	200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		5155	120-82-1	1,2,4-Trichlorobenzene	40	to	200	Assigned Value ±60% fixed acceptance limit				16
SOLIDS		5240	NA	m/p-Xylenes	20	to	200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5250	95-47-6	o-Xylene	20	to	200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5260	1330-20-7	Xylene (total) ⁸	40	to	400	Assigned Value ±45% fixed acceptance limit				22
Volatile Halocarbons ¹					µg/kg							µg/kg
SOLIDS		4395	75-27-4	Bromodichloromethane	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4400	75-25-2	Bromoform	20	to	200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		4455	56-23-5	Carbon tetrachloride	20	to	200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4505	67-66-3	Chloroform	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4575	124-48-1	Chlorodibromomethane	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4570	96-12-8	1,2-Dibromo-3-chloropropane (DBCP)	40	to	200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4585	106-93-4	1,2-Dibromoethane (EDB, Ethylene dibromide)	20	to	200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		4630	75-34-3	1,1-Dichloroethane	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4635	107-06-2	1,2-Dichloroethane (Ethylene dichloride)	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4640	75-35-4	1,1-Dichloroethylene	20	to	200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4645	156-59-2	cis-1,2-Dichloroethylene	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4700	156-60-5	trans-1,2-Dichloroethylene	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4975	75-09-2	Methylene chloride (Dichloromethane)	20	to	200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4655	78-87-5	1,2-Dichloropropane	20	to	200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		4680	10061-01-5	cis-1,3-Dichloropropene	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4685	10061-02-6	trans-1,3-Dichloropropylene	20	to	200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5105	630-20-6	1,1,1,2-Tetrachloroethane	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		5110	79-34-5	1,1,2,2-Tetrachloroethane	20	to	200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5115	127-18-4	Tetrachloroethylene (Perchloroethylene)	20	to	200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		5160	71-55-6	1,1,1-Trichloroethane	20	to	200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5165	79-00-5	1,1,2-Trichloroethane	20	to	200	Assigned Value ±30% fixed acceptance limit				14
SOLIDS		5170	79-01-6	Trichloroethene (Trichloroethylene)	20	to	200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		5180	96-18-4	1,2,3-Trichloropropane	20	to	200	Assigned Value ±50% fixed acceptance limit				12



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range	Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷		
						a	b	c	d			
Volatile Ketone/Ethers ¹					µg/kg		µg/kg					
SOLIDS		4315	67-64-1	Acetone	200	to	1000	0.8050	15.8965	0.2255	11.6574	20
SOLIDS		4410	78-93-3	2-Butanone (Methyl ethyl ketone, MEK)	100	to	500	0.9457	-5.6053	0.1832	7.9158	10
SOLIDS		4860	591-78-6	2-Hexanone	100	to	500	Assigned Value ±50% fixed acceptance limit				50
SOLIDS		4995	108-10-1	4-Methyl-2-pentanone (MIBK)	100	to	500	Assigned Value ±50% fixed acceptance limit				50
SOLIDS		5000	1634-04-4	Methyl tert-butyl ether (MTBE)	20	to	200	Assigned Value ±40% fixed acceptance limit				12
Medium Level Volatile Aromatics ¹					µg/kg		µg/kg					
SOLIDS		4375	71-43-2	Benzene	1000	to	10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		4475	108-90-7	Chlorobenzene	1000	to	10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		4610	95-50-1	1,2-Dichlorobenzene (o-Dichlorobenzene)	1000	to	10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		4615	541-73-1	1,3-Dichlorobenzene (m-Dichlorobenzene)	1000	to	10000	1.0087	-3.5854	0.0610	72.1547	606
SOLIDS		4620	106-46-7	1,4-Dichlorobenzene (p-Dichlorobenzene)	1000	to	10000	0.9814	78.8567	0.0672	45.0983	723
SOLIDS		4765	100-41-4	Ethylbenzene	1000	to	10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS		5005	91-20-3	Naphthalene	2000	to	10000	1.0092	-147.4204	0.0896	204.0207	721
SOLIDS		5100	100-42-5	Styrene	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		5140	108-88-3	Toluene	1000	to	10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		5155	120-82-1	1,2,4-Trichlorobenzene	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		5240	NA	m/p-Xylenes	1000	to	10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS		5250	95-47-6	o-Xylene	1000	to	10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS		5260	1330-20-7	Xylene (total) ⁸	2000	to	20000	Assigned Value ±30% fixed acceptance limit				700



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
								a	b	c	d	
Medium Level Volatile Halocarbons ¹					µg/kg							µg/kg
SOLIDS		4395	75-27-4	Bromodichloromethane	1000	to	10000	Assigned Value ±35% fixed acceptance limit				650
SOLIDS		4400	75-25-2	Bromoform	1000	to	10000	Assigned Value ±40% fixed acceptance limit				600
SOLIDS		4455	56-23-5	Carbon tetrachloride	1000	to	10000	0.9879	26.1250	0.1091	69.0570	480
SOLIDS		4505	67-66-3	Chloroform	1000	to	10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS		4575	124-48-1	Chlorodibromomethane	1000	to	10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS		4570	96-12-8	1,2-Dibromo-3-chloropropane (DBCP)	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		4585	106-93-4	1,2-Dibromoethane (EDB, Ethylene dibromide)	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		4595	74-95-3	Dibromomethane (Methylene bromide)	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		4630	75-34-3	1,1-Dichloroethane	1000	to	10000	Assigned Value ±35% fixed acceptance limit				650
SOLIDS		4635	107-06-2	1,2-Dichloroethane (Ethylene dichloride)	1500	to	10000	0.9960	32.3273	0.0711	81.3421	930
SOLIDS		4640	75-35-4	1,1-Dichloroethylene	2000	to	10000	Assigned Value ±50% fixed acceptance limit				1000
SOLIDS		4645	156-59-2	cis-1,2-Dichloroethylene	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		4700	156-60-5	trans-1,2-Dichloroethylene	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		4975	75-09-2	Methylene chloride (Dichloromethane)	1000	to	10000	Assigned Value ±40% fixed acceptance limit				600
SOLIDS		4655	78-87-5	1,2-Dichloropropane	2000	to	10000	Assigned Value ±30% fixed acceptance limit				1400
SOLIDS		4680	10061-01-5	cis-1,3-Dichloropropene	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		4685	10061-02-6	trans-1,3-Dichloropropylene	2000	to	10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		5105	630-20-6	1,1,1,2-Tetrachloroethane	1000	to	10000	0.9905	84.3577	0.0715	113.3756	520
SOLIDS		5110	79-34-5	1,1,2,2-Tetrachloroethane	1500	to	10000	0.9884	-45.8370	0.0927	188.2879	455
SOLIDS		5115	127-18-4	Tetrachloroethylene (Perchloroethylene)	1000	to	10000	1.0045	93.5934	0.1125	4.6555	747
SOLIDS		5160	71-55-6	1,1,1-Trichloroethane	1000	to	10000	Assigned Value ±40% fixed acceptance limit				600
SOLIDS		5165	79-00-5	1,1,2-Trichloroethane	1000	to	10000	Assigned Value ±35% fixed acceptance limit				650
SOLIDS		5170	79-01-6	Trichloroethene (Trichloroethylene)	1000	to	10000	0.9971	67.2206	0.0840	56.3450	643
SOLIDS		5180	96-18-4	1,2,3-Trichloropropane	1500	to	10000	Assigned Value ±45% fixed acceptance limit				825
Medium Level Volatile Ketone/Ethers ¹					µg/kg							µg/kg
SOLIDS		4315	67-64-1	Acetone	4000	to	20000	0.9105	-72.7923	0.2023	70.9627	929
SOLIDS		4410	78-93-3	2-Butanone (Methyl ethyl ketone, MEK)	4000	to	20000	0.8688	472.7627	0.1877	295.7230	808
SOLIDS		4860	591-78-6	2-Hexanone	4000	to	20000	Assigned Value ±50% fixed acceptance limit				2000
SOLIDS		4995	108-10-1	4-Methyl-2-pentanone (MIBK)	4000	to	20000	Assigned Value ±50% fixed acceptance limit				2000
SOLIDS		5000	1634-04-4	Methyl tert-butyl ether (MTBE)	2000	to	10000	Assigned Value ±30% fixed acceptance limit				1400
Volatile Petroleum Hydrocarbons					mg/kg							mg/kg
SOLIDS		9408	8006-61-9	Gasoline Range Organics (GRO) ⁹	100	to	2000	Study Mean		0.1900	74.9808	10



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
								a	b	c	d	
				Base/Neutrals ¹	µg/kg							µg/kg
SOLIDS		5500	83-32-9	Acenaphthene	1000	to	12000	Study Mean	0.1967	2.4526		100
SOLIDS		5505	208-96-8	Acenaphthylene	1000	to	12000	Study Mean	0.2110	0.8053		100
SOLIDS		5555	120-12-7	Anthracene	1000	to	12000	Study Mean	0.1677	68.9191		100
SOLIDS		5575	56-55-3	Benzo(a)anthracene	1000	to	12000	Study Mean	0.1671	20.6877		100
SOLIDS		5585	205-99-2	Benzo(b)fluoranthene	1000	to	12000	Study Mean	0.1929	23.6955		100
SOLIDS		5600	207-08-9	Benzo(k)fluoranthene	1000	to	12000	Study Mean	0.1966	5.3583		100
SOLIDS		5590	191-24-2	Benzo(g,h,i)perylene	1000	to	12000	Study Mean	0.1958	26.7399		100
SOLIDS		5580	50-32-8	Benzo(a)pyrene	1000	to	12000	Study Mean	0.1801	66.9233		100
SOLIDS		5660	101-55-3	4-Bromophenyl phenyl ether (BDE-3)	1500	to	15000	Study Mean	0.1949	25.3431		150
SOLIDS		5670	85-68-7	Butyl benzyl phthalate	1000	to	12000	Study Mean	0.2095	16.2887		100
SOLIDS		5765	111-44-4	bis(2-Chloroethyl) ether	1500	to	15000	Study Mean	0.2158	173.8570		150
SOLIDS		5760	111-91-1	bis(2-Chloroethoxy)methane	1000	to	12000	Study Mean	0.1953	88.5249		100
SOLIDS		4659	108-60-1	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether ¹³	1500	to	15000	Study Mean	0.2515	26.3474		150
SOLIDS		5795	91-58-7	2-Chloronaphthalene	1000	to	12000	Study Mean	0.2181	6.8913		100
SOLIDS		5825	7005-72-3	4-Chlorophenyl phenylether	1000	to	12000	Study Mean	0.2077	5.9161		100
SOLIDS		5855	218-01-9	Chrysene	1000	to	12000	Study Mean	0.1626	29.1501		100
SOLIDS		5895	53-70-3	Dibenz(a,h) anthracene	1000	to	12000	Study Mean	0.1868	81.9994		100
SOLIDS		5905	132-64-9	Dibenzofuran	1500	to	15000	Study Mean	0.1772	34.8698		150
SOLIDS		4610	95-50-1	1,2-Dichlorobenzene (o-Dichlorobenzene)	1500	to	15000	Study Mean	0.2786	81.9879		150
SOLIDS		4615	541-73-1	1,3-Dichlorobenzene (m-Dichlorobenzene)	1500	to	15000	Study Mean	0.3292	69.8039		150
SOLIDS		4620	106-46-7	1,4-Dichlorobenzene (p-Dichlorobenzene)	1500	to	15000	Study Mean	0.3249	28.1719		150
SOLIDS		6070	84-66-2	Diethyl phthalate	1000	to	12000	Study Mean	0.1952	14.2186		100
SOLIDS		6135	131-11-3	Dimethyl phthalate	1000	to	12000	Study Mean	0.1898	37.0036		100
SOLIDS		5925	84-74-2	Di-n-butyl phthalate	1000	to	12000	Study Mean	0.2232	24.5306		100
SOLIDS		6185	121-14-2	2,4-Dinitrotoluene (2,4-DNT)	1500	to	15000	Study Mean	0.1901	59.3569		150
SOLIDS		6190	606-20-2	2,6-Dinitrotoluene (2,6-DNT)	1500	to	15000	Study Mean	0.1804	16.8136		150
SOLIDS		6200	117-84-0	Di-n-octyl phthalate	1000	to	12000	Study Mean	0.2306	52.0201		100
SOLIDS		6065	117-81-7	Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1500	to	15000	Study Mean	0.2109	100.6288		150
SOLIDS		6265	206-44-0	Fluoranthene	1000	to	12000	Study Mean	0.1909	27.4902		100
SOLIDS		6270	86-73-7	Fluorene	1000	to	12000	Study Mean	0.1714	57.1721		100
SOLIDS		4840	67-72-1	Hexachloroethane	1500	to	15000	Study Mean	0.3365	0.7453		150
SOLIDS		6275	118-74-1	Hexachlorobenzene	1500	to	15000	Study Mean	0.1713	4.7899		150
SOLIDS		4835	87-68-3	Hexachlorobutadiene	1500	to	15000	Study Mean	0.2252	61.2677		150
SOLIDS		6315	193-39-5	Indeno(1,2,3-cd) pyrene	1000	to	12000	Study Mean	0.2577	6.0686		100



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
								a	b	c	d	
Base/Neutrals cont' ¹												
					µg/kg							µg/kg
SOLIDS		6320	78-59-1	Isophorone	1500	to	15000	Study Mean	0.2107	52.3126	150	
SOLIDS		6385	91-57-6	2-Methylnaphthalene	1000	to	12000	Study Mean	0.2027	28.7219	100	
SOLIDS		5005	91-20-3	Naphthalene	1000	to	12000	Study Mean	0.2408	35.4651	100	
SOLIDS		5015	98-95-3	Nitrobenzene	1500	to	15000	Study Mean	0.2129	84.7934	150	
SOLIDS		6545	621-64-7	n-Nitrosodi-n-propylamine	1500	to	15000	Study Mean	0.2463	5.3389	150	
SOLIDS		6615	85-01-8	Phenanthrene	1000	to	12000	Study Mean	0.1801	5.2498	100	
SOLIDS		6665	129-00-0	Pyrene	1000	to	12000	Study Mean	0.2025	15.1287	100	
SOLIDS		5155	120-82-1	1,2,4-Trichlorobenzene	1500	to	15000	Study Mean	0.1952	170.2017	150	
Acids ¹												
					µg/kg							µg/kg
SOLIDS		5700	59-50-7	4-Chloro-3-methylphenol	1500	to	15000	Study Mean	0.1989	52.6198	150	
SOLIDS		5800	95-57-8	2-Chlorophenol	1500	to	15000	Study Mean	0.2418	15.4376	150	
SOLIDS		6000	120-83-2	2,4-Dichlorophenol	1500	to	15000	Study Mean	0.2092	70.7176	150	
SOLIDS		6400	95-48-7	2-Methylphenol (o-Cresol)	3000	to	15000	Study Mean	0.2419	113.6401	300	
SOLIDS		6410	106-44-5	4-Methylphenol (p-Cresol) ¹⁰	3000	to	15000	Study Mean ±3SD				300
SOLIDS		6490	88-75-5	2-Nitrophenol	3000	to	15000	Study Mean	0.2513	18.3228	300	
SOLIDS		6500	100-02-7	4-Nitrophenol	3000	to	15000	Study Mean	0.3639	171.2300	300	
SOLIDS		6625	108-95-2	Phenol	1500	to	15000	Study Mean	0.2381	26.3795	150	
SOLIDS		6605	87-86-5	Pentachlorophenol	3000	to	15000	Study Mean	0.2714	282.8578	300	
SOLIDS		6835	95-95-4	2,4,5-Trichlorophenol	1500	to	15000	Study Mean	0.2309	17.6405	150	
SOLIDS		6840	88-06-2	2,4,6-Trichlorophenol	1500	to	15000	Study Mean	0.2031	72.3886	150	
PCBs ^{2, 15}												
					mg/kg							mg/kg
SOLIDS		8880	12674-11-2	Aroclor-1016 (PCB-1016)	1	to	50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8885	11104-28-2	Aroclor-1221 (PCB-1221)	1	to	50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8890	11141-16-5	Aroclor-1232 (PCB-1232)	1	to	50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8895	53469-21-9	Aroclor-1242 (PCB-1242)	1	to	50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8900	12672-29-6	Aroclor-1248 (PCB-1248)	1	to	50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8905	11097-69-1	Aroclor-1254 (PCB-1254)	1	to	50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8910	11096-82-5	Aroclor-1260 (PCB-1260)	1	to	50	Study Mean	0.2239	0.1196	0.1	
PCBs in Oil ^{2, 15}												
					mg/kg							mg/kg
OIL		8880	12674-11-2	Aroclor-1016 (PCB-1016)	10	to	50	0.7712	1.1019	0.1919	0.7331	0.86
OIL		8885	11104-28-2	Aroclor-1221 (PCB-1221)	12	to	50	0.7712	1.1019	0.1919	0.7331	1.25
OIL		8890	11141-16-5	Aroclor-1232 (PCB-1232)	12	to	50	0.7712	1.1019	0.1919	0.7331	1.25
OIL		8895	53469-21-9	Aroclor-1242 (PCB-1242)	10	to	50	0.7712	1.1019	0.1919	0.7331	0.86
OIL		8900	12672-29-6	Aroclor-1248 (PCB-1248)	12	to	50	0.7712	1.1019	0.1919	0.7331	1.25
OIL	0100	8905	11097-69-1	Aroclor-1254 (PCB-1254)	10	to	50	0.7712	1.1019	0.1919	0.7331	0.86
OIL	0101	8910	11096-82-5	Aroclor-1260 (PCB-1260)	10	to	50	0.7712	1.1019	0.1919	0.7331	0.86



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
								a	b	c	d	
Organochlorine Pesticides ^{1,14}					µg/kg						µg/kg	
SOLIDS		7025	309-00-2	Aldrin	50	to	500	Study Mean	0.2024	1.8529	5.0	
SOLIDS		7110	319-84-6	alpha-BHC (alpha-Hexachlorocyclohexane)	50	to	500	Study Mean	0.2004	3.1776	5.0	
SOLIDS		7115	319-85-7	beta-BHC (beta-Hexachlorocyclohexane)	50	to	500	Study Mean	0.1788	9.4062	5.0	
SOLIDS		7105	319-86-8	delta-BHC	50	to	500	Study Mean	0.2041	5.5821	5.0	
SOLIDS		7120	58-89-9	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	50	to	500	Study Mean	0.1955	6.0037	5.0	
SOLIDS		7240	5103-71-9	cis-Chlordane (alpha-Chlordane)	50	to	500	Study Mean	0.1876	0.6823	5.0	
SOLIDS		7972	5103-74-2	trans-Chlordane ¹⁶	50	to	500	Study Mean	0.1666	2.0584	5.0	
SOLIDS		7250	12789-03-6	Chlordane (tech.)	100	to	1000	Study Mean	0.2357	1.1633	10	
SOLIDS		7355	72-54-8	4,4'-DDD ^{14a}	50	to	500	Study Mean	0.1697	8.1705	5.0	
SOLIDS		7360	72-55-9	4,4'-DDE ^{14a}	50	to	500	Study Mean	0.1818	4.4461	5.0	
SOLIDS		7365	50-29-3	4,4'-DDT ^{14a}	50	to	500	Study Mean	0.2243	2.6522	5.0	
SOLIDS		7470	60-57-1	Dieldrin	50	to	500	Study Mean	0.1672	4.0365	5.0	
SOLIDS		7510	959-98-8	Endosulfan I	50	to	500	Study Mean	0.1824	5.0749	5.0	
SOLIDS		7515	33213-65-9	Endosulfan II	50	to	500	Study Mean	0.2026	3.2251	5.0	
SOLIDS		7520	1031-07-8	Endosulfan sulfate	50	to	500	Study Mean	0.2361	2.5159	5.0	
SOLIDS		7540	72-20-8	Endrin ^{14b}	50	to	500	Study Mean	0.1435	7.1706	5.0	
SOLIDS		7530	7421-93-4	Endrin aldehyde ^{14b}	50	to	500	Study Mean	0.2309	10.0975	5.0	
SOLIDS		7535	53494-70-5	Endrin ketone ^{14b}	50	to	500	Study Mean	0.2190	2.7268	5.0	
SOLIDS		7685	76-44-8	Heptachlor	50	to	500	Study Mean	0.1911	2.5619	5.0	
SOLIDS		7690	1024-57-3	Heptachlor epoxide	50	to	500	Study Mean	0.1786	2.4451	5.0	
SOLIDS		7810	72-43-5	Methoxychlor	50	to	500	Study Mean	0.2696	6.0889	5.0	
SOLIDS		8250	8001-35-2	Toxaphene (Chlorinated Camphene)	200	to	2000	Study Mean ±3SD			20	
Herbicides ¹					µg/kg						µg/kg	
SOLIDS		8545	94-75-7	2,4-D	100	to	1000	Study Mean ±3SD			10	
SOLIDS		8560	94-82-6	2,4-DB	100	to	1000	Study Mean ±3SD			10	
SOLIDS		8595	1918-00-9	Dicamba	100	to	1000	Study Mean ±3SD			10	
SOLIDS		8620	88-85-7	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	100	to	1000	Study Mean ±3SD			10	
SOLIDS		6605	87-86-5	Pentachlorophenol	100	to	1000	Study Mean ±3SD			10	
SOLIDS		8655	93-76-5	2,4,5-T	100	to	1000	Study Mean ±3SD			10	
SOLIDS		8650	93-72-1	Silvex (2,4,5-TP)	100	to	1000	Study Mean ±3SD			10	



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA	TNI	CAS	Analyte ^{1,2}	Conc Range			Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
	Analyte Code	Analyte Code						Number	a	b	c	
Petroleum Hydrocarbons					mg/kg							mg/kg
SOLIDS		9369	68334-30-5	Diesel Range Organics (DRO) ¹¹	300	to	3000	Study Mean	0.2097	7.5527	30	
SOLIDS		1803	NA	n-Hexane Extractable Material (O&G) ¹²	300	to	3000	Study Mean	0.1567	88.0394	30	
Low Level Polyaromatic Hydrocarbons (PAHs) ¹					µg/kg							µg/kg
SOLIDS		5500	83-32-9	Acenaphthene	100	to	1000	Study Mean	0.2258	2.4018	15	
SOLIDS		5505	208-96-8	Acenaphthylene	150	to	1000	Study Mean	0.3181	4.1175	15	
SOLIDS		5555	120-12-7	Anthracene	100	to	1000	Study Mean	0.1839	3.1705	10	
SOLIDS		5575	56-55-3	Benzo(a)anthracene	50	to	500	Study Mean	0.1562	2.8639	5.0	
SOLIDS		5585	205-99-2	Benzo(b)fluoranthene	50	to	500	Study Mean	0.1370	3.1001	5.0	
SOLIDS		5600	207-08-9	Benzo(k)fluoranthene	50	to	500	Study Mean	0.1300	5.4343	5.0	
SOLIDS		5590	191-24-2	Benzo(g,h,i)perylene	50	to	500	Study Mean	0.1724	4.5522	10	
SOLIDS		5580	50-32-8	Benzo(a)pyrene	50	to	500	Study Mean	0.1771	3.7794	5.0	
SOLIDS		5855	218-01-9	Chrysene	50	to	500	Study Mean	0.1884	0.0425	5.0	
SOLIDS		5895	53-70-3	Dibenz(a,h) anthracene	50	to	500	Study Mean	0.1591	2.6430	5.0	
SOLIDS		6265	206-44-0	Fluoranthene	50	to	500	Study Mean	0.1529	3.9780	10	
SOLIDS		6270	86-73-7	Fluorene	50	to	500	Study Mean	0.2169	2.2266	5.0	
SOLIDS		6315	193-39-5	Indeno(1,2,3-cd) pyrene	50	to	500	Study Mean	0.1330	6.2268	5.0	
SOLIDS		5005	91-20-3	Naphthalene	150	to	1000	Study Mean	0.3079	1.5325	15	
SOLIDS		6615	85-01-8	Phenanthrene	100	to	1000	Study Mean	0.1921	0.1970	10	
SOLIDS		6665	129-00-0	Pyrene	50	to	500	Study Mean	0.1816	2.1374	5.0	



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	TNI Analyte Code	CAS Number	Analyte ^{1,2}	Conc Range	Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
						a	b	c	d	

1) For volatiles, base/neutrals, acids, organochlorine pesticides, herbicides and low level PAHs standards, providers must include a minimum number of analytes using the criteria described below:

PT samples that are to be scored for one to ten analytes must include all of these analytes.

PT samples that are to be scored for ten to twenty analytes must include at least ten of these analytes or 80% of the total, whichever number is greater.

PT samples that are to be scored for more than twenty analytes must include at least sixteen of these analytes or 60% of the total, whichever number is greater.

If the calculated percentage of the total number of analytes in the PT sample is a fraction, the fraction shall be rounded up to the next whole number.

2) One sample in every study, containing one Aroclor, selected at random from among the Aroclors listed above.

3) Acceptance limits are set at the Mean $\pm$ 3 Standard Deviations (SD).

Where the a, b, c and d factors are presented, Mean = $a \cdot T + b$; SD = $c \cdot T + d$ where T is the assigned value.

Where the c and d factors are presented, Mean = Robust Study Mean; SD = $c \cdot X + d$ where X is the Robust Study Mean.

Where no factors are presented (Study Mean $\pm$ 3SD), Mean = Robust Study Mean, SD = Robust Study Standard Deviation.

Robust Study Mean and Standard Deviation are generated using statistical analysis of study data set. (ie. Bi-weight, Grubbs, Dixon, etc.)

4) If the lower acceptance limit generated using the criteria contained in this table is less than 10% of the assigned value or the PTRL, the lower acceptance limits are set at 10% of the assigned value or the PTRL whichever is higher.

5) If the lower acceptance limit generated using the criteria contained in this table is greater than 90% of the assigned value, the lower acceptance limits are set at 90% of the assigned value except where fixed limits are used.

6) If the upper acceptance limit generated using the criteria contained in this table is less than 110% of the assigned value, the upper acceptance limits are set at 110% of the assigned value except where fixed limits are used.

7) TNI Proficiency Testing Reporting Limit (PTRL) is a statistically derived value that represents the lowest acceptable concentration for an analyte in a proficiency test sample, if the analyte is spiked into the proficiency test sample.

TNI PTRLs are also used by PT Providers to set the assigned value for unspiked analytes. For all analytes with an assigned value equal to <PTRL, the PT Provider must verify that the PT sample does not contain the analyte at a concentration greater than or equal to one-half (1/2) of the PTRL.

Refer to the "TNI V1M1 2016 Standard Update Guidance on Proficiency Testing Reporting Limit (PTRL)", GUID-3-114-Rev0, October 15, 2018 for further information.

8) Volatiles Aromatics must contain all three Xylene isomers. The concentration range of o-Xylene and m&p-Xylene is 20-200 ug/kg or 1000-10000 (Medium Level) each.

9) Gasoline Range Organics (GRO) per purge-and-trap extraction followed by chromatographic analysis. GRO is defined as the carbon range between n-C₅ and n-C₁₀.

10) Laboratories seeking to report data for Solid and Chemical Material analyte 4-Methylphenol or the coeluting isomer pair of 3-Methylphenol and 4-Methylphenol must report the data as 4-Methylphenol.



TNI PT for Accreditation
Fields of Proficiency Testing with PTRLs
Solid and Chemical Materials
Effective: January 1, 2026

Blue = New Analyte

Magenta = Changes

Matrix	EPA	TNI	Analyte ^{1,2}	Conc Range	Acceptance Criteria ^{3,4,5,6}				TNI PTRL ⁷
	Analyte Code	Analyte Code			a	b	c	d	
11) Diesel Range Organics (DRO) per solvent extraction followed by chromatographic analysis. DRO is defined as the carbon range between n-C ₁₀ and n-C ₂₈ .									
12) n-Hexane Extractable Material (HEM) per solvent extraction followed by gravimetric or infrared spectrometric analysis (Oil & Grease).									
13) Also known as Bis(2-chloro-1-methylethyl) Ether, formerly known as Bis(2-chloroisopropyl) Ether.									
14) These analytes are specified as part of a method defined and evaluated degradation process. PT sample designs for these analytes must conform to the following:									
a) If the parent compound 4,4'-DDT is spiked into the PT sample, then its degradation products, 4,4'-DDD and 4,4'-DDE, must also be spiked into that PT sample.									
b) If the parent compound Endrin is spiked into the PT sample, then its degradation products, Endrin aldehyde and Endrin ketone, must also be spiked into that PT sample.									
15) A "Not Acceptable" evaluation of any one or more Aroclor Identifications constitutes a failure to demonstrate proficiency for all accredited Aroclors reported.									
16) Formerly listed as gamma-Chlordane (TNI Analyte Code 7245).									